RTIFICATE OF MAILING hereby certify that this paper and every paper referred to therein as being enclosed is being deposited with the U.S. Postal Service as first class mail, postage prepaid, in an envelope addressed to:Office of Initial Patent Examination's Filing Receipt Corrections, P.O. Box 1450, Alexandria, VA 22313-1450 on 10.107109 (Date of Deposit)

U.S. Patent Application Attorney Dkt: 306 D13 A&B Dkt: APM/079-95-DV1-DV1-CN1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Collins et al.) Group Art Unit: 1753 Entitled: INDUCTIVELY COUPLED RF) Examiner: N/A PLASMA REACTOR AND PLASMA CHAMBER ENCLOSURE STRUCTURE THEREFOR Serial No.: 10/786,424 Filing Date: 2/25/2004

REQUEST FOR CORRECTED FILING RECEIPT

Office of Initial Patent Examination's Filing Receipt Corrections P.O. Box 1450 Alexandria, VA 22313-1450

(Date of Deposit)

15 Dear Sir:

5

10

20

25

30

Please issue a corrected filing receipt to accurately reflect the priority data. Namely, incorrect application number 07/772,340 should be changed to 07/722,340 filed June 27, 1991, which is now A copy of the Filing Receipt with changes noted is enclosed. A preliminary amendment is also filed herewith to correct this typographical error in the application.

Respectfully Submitted,

Christopher R.

Reg. No. 40,901

Attorney for Applicants

AAGAARD & BALZAN, LLP 674 County Square Drive, Suite 105

Ventura, CA 93003 tel.: (805)658-1945

fax: (805)654-9984



United States Patent and Trademark Office

AAGAARD \$

UNITED STATES DEPARTMENT OF CO UNITED STATES DEFARINGET OF CORD United States Patent and Trademark Offic Address: COMMISSIOVER FOR PATENTS PO. Box 1450 Alexandra, Viginia 22313-1450 www.usplu.gov

FILING OR 371 APPL NO. ART UNIT FIL FEE REC'D ATTY.DOCKET NO DRAWINGS TOT CLMS (c) DATE IND CLMS 10/786.424 02/25/2004 1753 968 306 D13 20 31 3

Patent Counsel APPLIED MATERIALS, INC. P. O. Box 450-A Santa Clara, CA 95052

RECEIVED JUN 2 1 2004 AAGAARD & BALZAN, LLP

-- 現代的等於解析等。2015年19日的第二

LABOUR OPENING THE STORE

CONFIRMATION NO. 2804 FILING RECEIPT *OC000000012700107*

Date Mailed: 05/18/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Kenneth S. Collins, San Jose, CA; Michael Rice, Pleasanton, CA; John Trow, San Jose, CA; Douglas Buchberger, Tracy, CA: Craig A. Roderick, San Jose, CA;

mark yare

Assignment For Published Patent Application

Applied Materials, Inc.:

Domestic Priority data as claimed by applicant

This application is a CON of 09/970,121 10/02/2001 PAT 6,736,931 which is a DIV of 09/675,319 09/29/2000 PAT 6,444,085 which is a DIV of 08/648,254 05/13/1996 PAT 6,165,311 which is a CIP of 08/580,026 12/20/1995 which is a CON of 08/041,796 04/01/1993 PAT 5,556,501 which is a CON of 07/772,340 10/07/1991 PAT 5,226,932* 07/722,340 06/27/1991 ABN and said 08/648,254 05/13/1996 is a CIP of 08/503,467 07/18/1995 PAT 5,770,099 which is a DIV of 08/138,060 10/15/1993 PAT 5,477,975 and said 08/648.254 05/13/1996 is a CIP of 08/597,577 02/02/1996 PAT 6,077,384 which is a CIP of 08/521,668 08/31/1995 ABN which is a CIP of 08/289,336 08/11/1994 ABN which is a CON of 07/984,045 12/01/1992 ABN (*)Data provided by applicant is not consistent with PTO records.